



Publication list

Philippe Borsa

► To cite this version:

| Philippe Borsa. Publication list. [0] IRD. 2016, pp.10. ird-01390223

HAL Id: ird-01390223

<https://ird.hal.science/ird-01390223>

Submitted on 1 Nov 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

PUBLICATION LIST – Philippe Borsa

Institut de recherche pour le développement (IRD), Montpellier

31 October 2016

Abstract. - The complete references and digital-object identifiers for 91 papers in peer-reviewed journals, 34 papers in the grey literature, one software and three thesis dissertations (HDR, PhD, MSc) are provided. Papers and reports that are freely accessible online through IRD's Hyperarchives en ligne (<http://hal.ird.fr/>) are indicated.

1. - Peer-reviewed papers

Those papers whose authors' manuscript have been published in Hyperarchives en ligne (HAL-IRD; <http://hal.ird.fr/>) are flagged by the "haL" symbol.

- 2017 / in press -

- Borsa P (in press) Molecular genetics as a valid contribution to the taxonomy of species complexes in stingrays: comment on Weigmann's global checklist of chondrichthyan fishes. *Journal of Fish Biology*
- Durand J-D, Hubert N, Shen K-N, Borsa P (in press) DNA barcoding grey mullets. *Reviews in Fish Biology and Fisheries*
- Fauvelot C, Andréfouët S, Grulois D, Magalon H, Tiavouane J, Wabnitz CCC, Borsa P (accepted) Phylogeography of Noah's giant clam. *Coral Reefs*
- Mendez L, Borsa P, Cruz S, De Grissac S, Hennicke J, Lallemand J, Prudor A, Weimerskirch H (accepted) Geographical variation in the foraging behaviour of a pantropical seabird: the red-footed booby. *Marine Ecology Progress Series*
- Shen K-N, Chang C-W, Delrieu-Trottin E, Borsa P (2017) Lemonpeel (*Centropyge flavissima*) and yellow (*C. heraldi*) pygmy angelfishes each consist of two geographically isolated sibling species. *Marine Biodiversity*
- Weimerskirch H, Borsa P, Cruz S, de Grissac S, Gardes L, Lallemand J, Le Corre M, Prudor A (accepted) Diversity of migration strategies among great frigatebirds populations. *Journal of Avian Biology*

- 2016 -

- Borsa P, Béarez P (2016) Notes on the origin of Müller and Henle's illustration and type material of the blue-spotted maskray *Neotrygon kuhlii* (Myliobatoidei: Dasyatidae). *Cybium* 40, 255-258. [haL](#)
- Borsa P, Durand J-D, Chen W-J, Hubert N, Muths D, Mou-Tham G, Kulbicki M (2016) Comparative phylogeography of the western Indian Ocean reef fauna. *Acta Oecologica* 72, 72-86. doi: 10.1016/j.actao.2015.10.009 [haL](#)
- Borsa P, Shen K-N, Arlyza IS, Hoareau TB (2016) Multiple cryptic species in the blue-spotted maskray (Myliobatoidei: Dasyatidae: *Neotrygon* spp.): an update. *Comptes Rendus Biologies* 339, 417-426. doi: 10.1016/j.crv.2016.07.004 [haL](#)
- Chen W-J, Ho H-C, Borsa P (2016) Taiwanese records of oblong large-eye seabream *Gymnocranius oblongus* (Teleostei: Lethrinidae) and other rare or undetermined large-eye seabreams. *Frontiers in Marine Science* 3, 107. doi: 10.3389/fmars.2016.00107 [haL](#)
- Shen K-N, Chang C-W, Tsai S-Y, Wu S-C, Lin Z-H, Chan Y-F, Chen C-H, Hsiao C-D, Borsa P (2016) Next generation sequencing yields the complete mitogenomes of leopard whiplay (*Himantura leoparda*) and blue-spotted maskray (*Neotrygon kuhlii*) (Chondrichthyes: Dasyatidae). *Mitochondrial DNA Part A* 27, 2613-2614. doi: 10.3109/19401736.2015.1041119 [haL](#)

- 2015 -

- Borsa P, Fauvelot C, Andréfouët S, Chai T-T, Kubo H, Liu L-L (2015) On the validity of Noah's giant clam *Tridacna noae* (Röding, 1798) and its synonymy with Ningaloo giant clam *Tridacna ningaloo* Penny & Willan, 2014. *Raffles Bulletin of Zoology* 63, 484–489. [hal](#)
- Borsa P, Fauvelot C, Tiavouane J, Grulois D, Wabnitz C, Abdon Naguit MR, Andréfouët S (2015) Distribution of Noah's giant clam, *Tridacna noae*. *Marine Biodiversity* 45, 339-344 . doi:10.1007/s12526-014-0265-9 [hal](#)
- Durand J-D, Borsa P (2015) Mitochondrial phylogeny of grey mullets (Acanthopterygii: Mugilidae) suggests high proportion of cryptic species. *Comptes Rendus Biologies* 338, 266-277. doi: 10.1016/j.crvi.2015.01.007 [hal](#)
- Gerard K, Roby C, Bierne N, Borsa P, Feral J-P, Chenuil A (2015) Does natural selection explain the fine scale genetic structure at the nuclear exon *Glu-5'* in blue mussels from Kerguelen? *Ecology and Evolution* 5, 1456-1473. doi: 10.1002/ece3.1421 [hal](#)
- Tirard P, Maillaud C, Borsa P (2015) Fatal tiger shark, *Galeocerdo cuvier* attack in New Caledonia erroneously ascribed to great white shark, *Carcharodon carcharias*. *Journal of Forensic and Legal Medicine* 3, 68-70. doi: /10.1016/j.jflm.2015.04.011 [hal](#)
- Villard P, Bretagnolle V, Borsa P (2015) Segregation in diet between black noddly *Anous minutus* and brown noddly *A. stolidus* from the southern lagoon of New Caledonia. *Pacific Science* 69, 197-204. doi:10.2984/69.2.5 [hal](#)

- 2014 -

- Borsa P, Sembiring A, Fauvelot C, Chen W-J (2014) Resurrection of Indian-Ocean humbug damselfish, *Dascyllus abudafur* (Forsskal) from synonymy with its Pacific-Ocean sibling, *Dascyllus aruanus* (L.). *Comptes Rendus Biologies* 337, 709-716. doi: 10.1016/j.crvi.2014.09.001 [hal](#)
- Karahan A, Borsa P, Gucu AC, Kandemir İ, Özkan E, Ak Örek Y, Can Acan S, Koban E, Togan İ (2014) Geometric morphometrics, Fourier analysis of otolith shape, and nuclear-DNA markers distinguish two anchovy species (*Engraulis* spp.) in the Eastern Mediterranean Sea. *Fisheries Research* 159, 45-55. doi: 10.1016/j.fishres.2014.05.009 [hal](#)
- Liu S-YV, Chang F-T, Borsa P, Chen W-J, Dai C-F (2014) Phylogeography of the humbug damselfish, *Dascyllus aruanus* (Linnaeus, 1758): evidence of Indo-Pacific vicariance and genetic differentiation of peripheral populations. *Biological Journal of the Linnean Society* 113, 931-942. doi:10.1111/bij.12378 [hal](#)

- 2013 -

- Arlyza IS, Shen K-N, Durand J-D, Borsa P (2013) Mitochondrial haplotypes indicate parapatric-like phylogeographic structure in blue-spotted maskray (*Neotrygon kuhlii*) from the Coral Triangle region. *Journal of Heredity* 104, 725-733. doi:10.1093/jhered/est044 [hal](#)
- Arlyza IS, Shen K-N, Solihin DD, Soedharma D, Berrebi P, Borsa P (2013) Species boundaries in the *Himantura uarnak* species complex (Myliobatiformes: Dasyatidae). *Molecular Phylogenetics and Evolution* 66, 429–435. doi: 10.1016/j.ympev.2012.09.023 [hal](#)
- Borsa P, Arlyza IS, Chen W-J, Durand J-D, Meekan MG, Shen K-N (2013) Resurrection of New Caledonian maskray *Neotrygon trigonoides* (Myliobatoidei: Dasyatidae) from synonymy with *N. kuhlii*, based on cytochrome-oxidase I gene sequences and spotting patterns. *Comptes Rendus Biologies* 336, 221-232. doi: 10.1016/j.crvi.2013.05.005 [hal](#)
- Borsa P, Béarez P, Paijo S, Chen W-J (2013) *Gymnocranius superciliosus* and *Gymnocranius satoi*, two new large-eye brems (Sparoidea: Lethrinidae) from the Coral Sea and adjacent regions. *Comptes Rendus Biologies* 336, 233-240. doi: 10.1016/j.crvi.2013.06.003 [hal](#)
- Borsa P, Durand J-D, Shen K-N, Arlyza IS, Solihin DD, Berrebi P (2013) *Himantura tutul* sp. nov. (Myliobatoidei: Dasyatidae), a new ocellated whipray from the tropical Indo-West Pacific, described from its cytochrome-oxidase I gene sequence. *Comptes Rendus Biologies* 336, 82-92. doi: 10.1016/j.crvi.2013.01.004 [hal](#)

Borsa P, Hsiao D-R, Carpenter KE, Chen W-J (2013) Cranial morphometrics and mitochondrial DNA sequences distinguish cryptic species of the longface emperor (*Lethrinus olivaceus*), an emblematic fish of the Indo-West Pacific coral reefs. *Comptes Rendus Biologies* 336, 505-514. doi: 10.1016/j.crvi.2013.09.004 [haL](#)

Ceccarelli DM, McKinnon AD, Andréfouët S, Allain V, Young J, Gledhill D, Flynn A, Bax N, Beaman R, Borsa P, Brinkman R, Bustamante R, Campbell R, Cappo M, Cravatte S, D'Agata S, Dichmont C, Dunstan P, Dupouy C, Edgar G, Farman R, Furnas M, Garrigue C, Hutton T, Kulbicki M, Letourneur Y, Lindsay D, Menkes C, Mouillot D, Parravicini V, Payri C, Pelletier B, Richer de Forges B, Ridgway K, Rodier M, Samadi S, Schoeman D, Skewes T, Swearer S, Vigliola L, Wantiez L, Williams A, Richardson A (2013) The Coral Sea: physical environment, ecosystem status and biodiversity assets. *Advances in Marine Biology* 66, 211-292. doi: 10.1016/B978-0-12-408096-6.00004-3

Fricke R, Durville P, Bernardi G, Borsa P, Mou-Tham G, Chabanet P (2013) Checklist of the shore fishes of Europa Island, Mozambique Channel, southwestern Indian Ocean, including 302 new records. *Stuttgarter Beiträge zur Naturkunde A, Neue Serie* 6, 247-276.

Ponton D, Carassou L, Raillard S, Borsa P (2013) Geometric morphometrics as a tool for identifying emperor fish (Lethrinidae) larvae and juveniles. *Journal of Fish Biology* 83, 14-27. doi:10.1111/jfb.12138

- 2012 -

Borsa P, Andréfouët S, Juncker M (2012) Records of bottlenose dolphins, *Tursiops* spp., in New Caledonian waters. *Marine Biodiversity Records* 5, e53. doi:10.1017/S1755267211001126 [haL](#)

Borsa P, Arlyza IS, Laporte M, Berrebi P (2012) Population genetic structure of blue-spotted maskray *Neotrygon kuhlii* and two other Indo-West Pacific stingray species (Myliobatiformes: Dasyatidae), inferred from size-polymorphic intron markers. *Journal of Experimental Marine Biology and Ecology* 438, 32-40. doi: 10.1016/j.jembe.2012.09.010 [haL](#)

Borsa P, Rolland V, Daguin C (2012) Genetics and taxonomy of Chilean smooth-shelled mussels, *Mytilus* spp. (Bivalvia: Mytilidae). *Comptes Rendus Biologies* 335, 51-61. doi:10.1016/j.crvi.2011.10.002 [haL](#)

Durand J-D, Chen W-J, Shen K-N, Fu C, Borsa P (2012) Genus-level taxonomic changes implied by the mitochondrial phylogeny of grey mullets (Teleostei: Mugilidae). *Comptes Rendus Biologies* 335, 687-697. doi: 10.1016/j.crvi.2012.09.005 [haL](#)

Durand J-D, Shen K-N, Chen W-J, Jamandre B-W, Blel H, Diop K, Nirchio M, Garcia de Leon FJ, Whitfield AK, Chang C-W, Borsa P (2012) Systematics of the grey mullets (Teleostei: Mugiliformes: Mugilidae): Molecular phylogenetic evidence challenges two centuries of morphology-based taxonomy. *Molecular Phylogenetics and Evolution* 64, 73-92. doi: 10.1016/j.ympev.2012.03.006 [haL](#)

- 2011 -

Aurelle D, Ledoux J-B, Rocher C, Borsa P, Chenuil A, Féral J-P (2011) Phylogeography of the red coral (*Corallium rubrum*): inferences on the evolutionary history of a temperate gorgonian. *Genetica* 139, 855-869. doi: 10.1007/s10709-011-9589-6

Fauvelot C, Borsa P (2011) Patterns of genetic isolation in narrow-barred Spanish mackerel (*Scomberomorus commerson*) across the Indo-West Pacific. *Biological Journal of the Linnean Society* 104, 886-902. [haL](#)

- 2010 -

Borsa P, Béarez P, Chen W-J (2010) *Gymnocranius oblongus* (Teleostei: Lethrinidae), a new large-eye bream species from New Caledonia. *Comptes Rendus Biologies* 333, 241-247. doi:10.1016/j.crvi.2009.12.015 [haL](#)

Borsa P, Collet A, Carassou L, Ponton D, Chen W-J. (2010) Multiple nuclear and mitochondrial genotyping identifies emperors and large-eye breams (Teleostei: Lethrinidae) from New Caledonia

and reveals new large-eye bream species. *Biochemical Systematics and Ecology* 38, 370-389. doi:10.1016/j.bse.2010.03.007 [hal](#)

Borsa P, Nugroho DA (2010) Spinner dolphin (*Stenella longirostris*) and other cetaceans in Raja Ampat waters, West Papua. *Marine Biodiversity Records* 3, e49. doi:10.1017/S175526721000045X [hal](#)

Borsa P, Pandolfi M, Andréfouët S, Bretagnolle V (2010) The breeding avifauna of the Chesterfield islands, Coral Sea: current population sizes, trends, and threats. *Pacific Science* 64, 297-314. doi: 10.2984/64.2.297 [hal](#)

Tirard P, Manning MJ, Jollit I, Duffy C, Borsa P (2010) Records of great white shark (*Carcharodon carcharias*) in New Caledonian waters. *Pacific Science* 64, 567-576. doi: 10.2984/64.4.567 [hal](#)

- 2008 -

Borsa P (2008) Sea snakes: overlooked predators at an urban fringing reef. *Coral Reefs* 27, 743. doi: 10.1007/s00338-008-0437-9 [hal](#)

Bouchenak-Khelladi Y, Durand J-D, Magoulas A, Borsa P (2008) Geographic structure of European anchovy: a nuclear-DNA study. *Journal of Sea Research* 59, 269-278. doi:10.1016/j.seares.2008.03.001 [hal](#)

Gérard K, Bierne N, Borsa P, Chenuil A, Féral J-P (2008) Pleistocene separation of mitochondrial lineages of *Mytilus* spp. mussels from Northern and Southern Hemispheres and strong genetic differentiation among southern populations. *Molecular Phylogenetics and Evolution* 49, 84-91. doi:10.1016/j.ympev.2008.07.006

- 2007 -

Borsa P, Daguin C, Bierne N (2007) Genomic reticulation indicates mixed ancestry in Southern-Hemisphere *Mytilus* spp. mussels. *Biological Journal of the Linnean Society* 92, 747-754. doi: 10.1111/j.1095-8312.2007.00917.x [hal](#)

Borsa P, Lemer S, Aurelle D (2007) Patterns of lineage diversification in rabbitfishes. *Molecular Phylogenetics and Evolution* 44, 427-435. doi:10.1016/j.ympev.2007.01.015 [hal](#)

Branch TA, Stafford KM, Palacios DM, Allison C, Bannister JL, Burton CLK, Cabrera E, Carlson CA, Galletti Vernazzani B, Gill PC, Hucke-Gaete R, Jenner KCS, Jenner M-NM, Matsuoka K, Mikhalev YA, Miyashita T, Morrice MG, Nishiwaki S, Sturrock VJ, Tormosov D, Anderson RC, Baker AN, Best PB, Borsa P, Brownell RL Jr, Childerhouse S, Findlay KP, Gerrodette T, Ilangakoon AD, Jørgensen M, Kahn B, Ljungblad DK, Maughan B, McCauley RD, McKay S, Norris TF, Oman Whale and Dolphin Research Group, Rankin S, Samaran F, Thiele D, van Waerebeek K, Warneke RM (2007) Past and present distribution, densities and movements of blue whales in the Southern Hemisphere and adjacent waters. *Mammal Review* 37, 1-60. doi: 10.1111/j.1365-2907.2007.00106.x

Lemer S, Aurelle D, Vigliola L, Durand J-D, Borsa P (2007) Cytochrome *b* barcoding, molecular systematics, and geographic differentiation in rabbitfishes (Siganidae). *Comptes Rendus Biologies* 330, 86-94. doi:10.1016/j.crv.2006.09.002 [hal](#)

- 2006 -

Akimoto S, Itoi S, Sezaki S, Borsa P, Watabe S (2006) Identification of alfonso *Beryx* species collected in Japan based on the mitochondrial cytochrome *b* gene and their comparison with those collected in New Caledonia. *Fisheries Science* 72, 202-207.

Borsa P (2006) Marine mammal strandings in the New Caledonia region, southwest Pacific. *Comptes Rendus Biologies* 329, 277-288. doi:10.1016/j.crv.2006.01.004 [hal](#)

- 2005 -

Borsa P, Robineau D (2005) Blainville's beaked whale in New Caledonia. *Pacific Science* 59, 467-472. [hal](#)

Durand J-D, Collet A, Chow S, Guinand B, Borsa P (2005) Nuclear and mitochondrial DNA markers indicate unidirectional gene flow of Indo-Pacific to Atlantic bigeye tuna (*Thunnus obesus*). populations, and their admixture off southern Africa. *Marine Biology* 147, 313-322.

Rohfritsch A, Borsa P (2005) Genetic structure of Indian scad mackerel *Decapterus russelli*: Pleistocene vicariance and secondary contact in the central Indo-West Pacific seas. *Heredity* 95, 315-322. doi:10.1038/sj.hdy.6800727 [haL](#)

- 2004 -

Borsa P, Collet A, Durand J-D (2004) Nuclear-DNA markers confirm the presence of two anchovy species in the Mediterranean. *Comptes Rendus Biologies* 327, 1113-1123. doi: 10.1007/s00227-005-1564-2 [haL](#)

Borsa P, Hoarau G (2004) A pygmy blue whale (Cetacea: Balaenopteridae) in the inshore waters of New Caledonia. *Pacific Science* 58, 579-584. [haL](#)

- 2003 -

Bierne N, Borsa P, Daguin C, Jollivet D, Viard F, Bonhomme F, David P (2003) Introgression patterns in the mosaic hybrid zone between *Mytilus edulis* and *M. galloprovincialis*. *Molecular Ecology* 12, 447-462.

Bierne N, Daguin C, Bonhomme F, David P, Borsa P (2003) Direct selection is not required to explain heterogeneity among marker loci across a *Mytilus* hybrid zone. *Molecular Ecology* 12, 2505-2510. doi: 10.1046/j.1365-294X.2003.01936.x [haL](#)

Borsa P (2003) Genetic structure of round scad mackerel *Decapterus macrosoma* (Carangidae) in the Indo-Malay archipelago. *Marine Biology* 142, 575-581. doi: 10.1007/s00227-002-0974-7 [haL](#)

Ineich I, Borsa P (2003) Geographic distribution: *Hydrophis coggeri*. *Herpetological Review* 34, 388.

- 2002 -

Borsa P (2002) Allozyme, mitochondrial-DNA, and morphometric variability indicate cryptic species of anchovy (*Engraulis encrasicolus*). *Biological Journal of the Linnean Society* 75, 261-269. doi: 10.1046/j.1095-8312.2002.00018.x [haL](#)

- 2001 -

Borsa P, Quignard J-P (2001) Systematics of the Atlantic-Mediterranean soles *Pegusa impar*, *P. lascaris*, *Solea aegyptiaca*, *S. senegalensis*, and *S. solea* (Pleuronectiformes: Soleidae). *Canadian Journal of Zoology* 79, 2297-2302. doi: 10.1139/cjz-79-12-2297 [haL](#)

Daguin C, Bonhomme F, Borsa P (2001) The zone of sympatry and hybridization of *Mytilus edulis* and *M. galloprovincialis*, as described by intron-length polymorphism at locus *mac-1*. *Heredity* 86, 342-354. [haL](#)

Perrin C, Borsa P (2001) Mitochondrial DNA analysis of the geographic structure of Indian scad mackerel in the Indo-Malay archipelago. *Journal of Fish Biology* 59, 1421-1426. doi:10.1006/jfbi.2001.1741 [haL](#)

- 2000 -

Daguin C, Borsa P (2000) Genetic relationships of *Mytilus galloprovincialis* populations worldwide: evidence from nuclear-DNA markers. In: Crame A, Harper E, Taylor J (eds), Bivalve Systematics and Evolution. *Geological Society of London Special Publications* 177, 389-397. [haL](#)

Hoarau G, Borsa P (2000) Extensive gene flow within sibling species in the deep-sea fish *Beryx splendens*. *Comptes Rendus de l'Académie des Sciences Série III* 323, 315-325. doi: 10.1016/S0764-4469(00)90124-0 [haL](#)

- 1999 -

Arnaud S, Bonhomme F, Borsa P (1999) Mitochondrial DNA analysis of the genetic relationships among populations of scad mackerel (*Decapterus macarellus*, *D. macrosoma* and *D. russelli*) in South-East Asia. *Marine Biology* 135, 699-707.

Borsa P, Daguin C, Ramos Caetano S, Bonhomme F (1999) Nuclear-DNA evidence that northeastern Atlantic *Mytilus trossulus* carry *M. edulis* genes. *Journal of Molluscan Studies* 65, 524-527. [hal](#)

Daguin C, Borsa P (1999) Genetic characterisation of *Mytilus galloprovincialis* Lmk. in North West Africa using nuclear DNA markers. *Journal of Experimental Marine Biology and Ecology* 235, 55-65. doi: 10.1016/S0022-0981(98)00163-4 [hal](#)

Naciri M, Lemaire C, Borsa P, Bonhomme F (1999) Genetic study of the Atlantic / Mediterranean transition in sea bass (*Dicentrarchus labrax*). *Journal of Heredity* 90, 591-596.

- 1997 -

Borsa P (1997) Seasonal trends in the occurrence of marine mammals in the Golfe du Morbihan, Kerguelen Islands. *Marine Mammal Science* 13, 314-316.

Borsa P, Blanquer A, Berrebi P (1997) Genetic structure of the flounders *Platichthys flesus* and *P. stellatus* at different geographic scales. *Marine Biology* 129, 233-246.

Borsa P, Naciri M, Bahri L, Chikhi L, García de León FJ, Kotoulas G, Bonhomme F (1997) Zoogéographie infraspécifique de la mer Méditerranée. Analyse des données génétiques populationnelles sur seize espèces atlanto-méditerranéennes (poissons et invertébrés). *Vie et Milieu* 47, 295-305.

Ohresser M, Borsa P, Delsert C (1997) Intron-length polymorphism at the actin gene locus *mac-1*: a genetic marker for population studies in the marine mussels *Mytilus galloprovincialis* Lmk and *M. edulis* L. *Molecular Marine Biology and Biotechnology* 6, 123-130.

- 1996 -

Borsa P, Benzie JAH (1996) Population genetics of *Trochus niloticus* and *Tectus coerulescens*, topshells with short-lived larvae. *Marine Biology* 125, 531-541.

Borsa P, Coustau C (1996) Single-stranded DNA conformation polymorphism at the *Rdl* locus in *Hypothenemus hampei* (Coleoptera: Scolytidae). *Heredity* 76, 124-129.

Borsa P, Kjellberg F (1996a) Experimental evidence for pseudo-arrhenotoky in *Hypothenemus hampei* (Coleoptera: Scolytidae). *Heredity* 76, 130-135.

Borsa P, Kjellberg F (1996b) Secondary sex-ratio adjustment in a pseudo-arrhenotokous insect, *Hypothenemus hampei* (Coleoptera : Scolytidae). *Comptes Rendus de l'Académie des Sciences Série III* 319, 1159-1166.

Gingerich DP, Borsa P, Suckling DM, Brun L-O (1996) Inbreeding in the coffee berry borer, *Hypothenemus hampei* (Coleoptera, Scolytidae) as estimated from endosulfan resistance phenotype frequencies. *Bulletin of Entomological Research* 86, 667-674.

- 1995 -

Borsa P, Gingerich DP (1995) Allozyme variation and an estimate of the inbreeding coefficient in the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytidae). *Bulletin of Entomological Research* 85, 21-28.

Brun L-O, Borsa P, Gaudichon V, Stuart JJ, Aronstein K, Coustau C, French-Constant RH (1995) 'Functional' haplodiploidy. *Nature* 374, 506.

Kotoulas G, Bonhomme F, Borsa P (1995) Genetic structure of the common sole, *Solea vulgaris*, at different geographic scales. *Marine Biology* 122, 361-375.

- 1994 -

Borsa P, Jarne P, Belkhir K, Bonhomme F (1994) Genetic structure of the palourde *Ruditapes decussatus* L. in the Mediterranean. In Beaumont AR (ed) Genetics and Evolution of Aquatic Organisms Chapman & Hall, London, 102-113.

Planes S, Borsa P, Galzin R, Bonhomme F (1994) Geographic structure and gene flow in the manini (convict surgeonfish: *Acanthurus triostegus*) in the south-central Pacific. In Beaumont AR (ed) Genetics and Evolution of Aquatic Organisms Chapman & Hall, London, 113-122.

- 1993 -

Borsa P, Benzie JAH (1993) Genetic relationships among the topshells *Trochus* and *Tectus* (Prosobranchia: Trochidae) from the Great Barrier Reef. *Journal of Molluscan Studies* 59, 275-284.

- 1992 -

Borsa P, Benzie JAH (1992) Methods for allozyme electrophoresis of the top snails *Trochus* and *Tectus* (Prosobranchia: Trochidae). *AIMS Reports* 5, 1-31.

Borsa P, Jousselin Y, Delay B (1992) Relationships between allozymic heterozygosity, body size, and survival to anoxic stress in the palourde *Ruditapes decussatus* L. (Bivalvia: Veneridae). *Journal of Experimental Marine Biology and Ecology* 155, 169-181.

Borsa P, Millet B (1992) Recruitment of the clam *Ruditapes decussatus* in the lagoon of Thau, Mediterranean. *Estuarine Coastal and Shelf Science* 35, 289-300.

- 1991 -

Borsa P, Zainuri M, Delay B (1991) Heterozygote deficiency and population structure in the bivalve *Ruditapes decussatus*. *Heredity* 66, 1-8.

- 1990 -

Berrebi P, Landaud P, Borsa P, Renno J-F (1990) Esterases of the flounder (*Platichthys flesus*, Pleuronectidae, Teleostei): development of an identification protocol using starch gel electrophoresis and characterization of loci. *Experientia* 46, 863-867.

Borsa P (1990) Seasonal occurrence of the leopard seal, *Hydrurga leptonyx*, in the Kerguelen Islands. *Canadian Journal of Zoology* 68, 405-408.

Borsa P, Thiriot-Quiévreux C (1990) Karyological and allozymic characterization of *Ruditapes philippinarum*, *R. aureus* and *R. decussatus* (Bivalvia: Veneridae). *Aquaculture* 90, 209-227.

2. - Grey literature

These papers and reports have generally not been peer-reviewed. They have been published on paper and / or as electronic portable documents in open-access online archives (ZoNéCo, haL-IRD, VLIZ). Those documents that have been published in Hyperarchives en ligne (HAL-IRD; <http://hal.ird.fr/>) are flagged by the “haL” symbol.

Borsa P, Nugroho DA. ss presse. – Seabirds and marine mammals as indicators of a rich but vulnerable ecosystem in the seas of Raja Ampat. In Hutomo P. (ed.) Raja Ampat natural wealth, LIPI, Bandung, 8 pp.

Borella L, Kochzius M, Cardenosa D, Borsa P, Ambak MA, Joseph J. 2016. – Connectivity and population structure of blacktip reef sharks, *Carcharhinus melanopterus*, in two islands in Terengganu, Malaysia. In Mees J, Seys J (eds.) Book of abstracts - VLIZ marine scientist day, Brugge 12 Feb. 2016. VLIZ Special Publ. 75 Vlaams Instituut voor de Zee – Flanders Marine Institute : Oostende, pp. 19-21.

Borsa P, Congdon B, Weimerskirch H. 2015. – Mouvements en mer des puffins fouquets de la colonie de Temrock (Nouvelle-Calédonie) : compte rendu de mission, 28 novembre – 08 décembre 2014. IRD, Nouméa, 11 pp. [haL](#)

Borsa P, Corbeau A, McDuie F, Renaudet L, Weimerskirch H. 2014. – Mouvements en mer des puffins fouquets reproducteurs de la colonie de Gouaro Deva (Nouvelle-Calédonie) : compte rendu de mission, 25 février – 14 mars 2014. IRD, Nouméa, 26 pp. [haL](#)

- Borsa P. 2012. - Compte rendu de mission à Ancol et Cibirong, 01-04 oct. 2012. IRD-UR 227, Denpasar, 6 pp. [haL](#)
- Borsa P. 2012. – Journal de bord de la mission MOMAlis, Iles Chesterfield, 24 mai - 08 juin 2012. Institut de recherche pour le développement (IRD), Nouméa, 21 p. <ird-01277708> [haL](#)
- Léopold M, Ponton D, Borsa P, Fauvelot C. 2011. – Gestion de la ressource en tazaras du lagon aux îles Bélep (Nouvelle-Calédonie). Synthèse des opérations ZoNéCo 2007 « Evaluation des paramètres biologiques et halieutiques » et 2008 « Détermination de l'unité de gestion ». Rapport d'opération ZoNéCo. IRD, Nouméa, 24 pp.
- Borsa P, Akimoto S, Pasco A, Tehei M, Watabe S. 2011. - Identification des deux espèces jumelles *Beryx mollis* Abe 1959 et *B. splendens* Lowe 1834 à l'aide de caractères morphologiques et méristiques simples. Rapport d'opération ZoNéCo. IRD, Montpellier, 31 pp. [haL](#)
- Ponton D, Léopold M, Borsa P, Fauvelot C. 2010. – Étude du stock exploité de tazaras des Bélep : détermination de l'unité de gestion. Rapport d'opération ZoNéCo. IRD, Nouméa, 50 pp.
- Borsa P, Fauvelot C. 2010. – Structure génétique des populations de *Scomberomorus commerson* en Nouvelle-Calédonie. Rapport d'opération ZoNéCo. IRD, Montpellier, 6 pp.
- Arlyza IS, Borsa P. 2010. – Geographic structure of masked stingray in the Indo-Malay-Papua archipelago. Poster, 2010 International meeting of the Association for Tropical Biology and Conservation, "Tropical biodiversity: surviving the food, energy and climate crisis", Denpasar 19-23 July 2010. [haL](#)
- Borsa P, Lemer S, Chen W-J, Collet A, Carassou L, Ponton D. 2009. - Identification par barcode (séquences nucléotidiques d'un fragment du gène du cytochrome b) des larves de Lethrinidae capturées en baies de Dumbéa et Ouano (Nouvelle-Calédonie). Rapport d'opération ZoNéCo. IRD, Nouméa, 60 pp. [haL](#)
- Borsa P, Kulbicki M, Collet A, Lemer S, MouTham G. 2009. – Biologie et écologie du bec-de-cane, *Lethrinus nebulosus* (Forsskal), en Nouvelle-Calédonie. Rapport d'opération ZoNéCo. IRD, Nouméa, 67 pp. [haL](#)
- Borsa P, Baudat-Franceschi J. 2009b. – Mission ornithologique aux îles Matthew et Hunter, 19-23 janvier 2009. IRD, Nouméa, 10 pp. [haL](#)
- Borsa P., Baudat-Franceschi J. 2009a. – Mission ornithologique à l'île Matthew, 16-19 avril 2008. IRD, Nouméa, 10 pp. [haL](#)
- Borsa P. 2009. – Mission ornithologique aux îles Chesterfield à bord du patrouilleur La Moqueuse, 26 janvier-1er février 2009. Institut de recherche pour le développement, Nouméa, 14 pp. [haL](#)
- Borsa P., Folcher E., Gilbert A. 2009. - Stalked and fleshy life forms photographed on Banc Gail (southwestern lagoon, New Caledonia), a site heavily impacted by hypersedimentation. In Mery P. (ed.) Proceedings of the 11th Pacific Science Inter-Congress, Tahiti, French Polynesia, 2-6 March, 2009. PSI2009/445, ISBN N° 978-2-11-098964-2. [haL](#)
- Borsa P. 2008. – Mission ornithologique à l'îlot Loop (îles Chesterfield) et transects en mer de Corail et dans le bassin des Loyauté, 20-28 octobre 2008. IRD, Nouméa, 13 pp. [haL](#)
- Borsa P. 2007. – Mission ornithologique aux îles Hunter et Matthew, 11-14 décembre 2004. IRD, Nouméa, 22 pp. [haL](#)
- Borsa P., Boiteux N. 2007. – Recensement des oiseaux marins de l'île Longue (atoll des Chesterfield), 18-21 juin 2007. IRD, Nouméa, 14 pp. [haL](#)
- Spaggiari J., Barré N., Baudat-Franceschi J., Borsa P. 2007. – New Caledonian seabirds. *Documents Scientifiques et Techniques (IRD, Noumea), Série II 7*, 2nd edn., 415-428.
- Borsa P., Collet A., Lemer S. 2006. – Les premiers stades de vie des poissons de Nouvelle-Calédonie : identification des habitats lagunaires pour les stades pré- et post-installation. Volet thématique 3 : Identification des jeunes stades. Rapport de fin de contrat, Zonéco 2005. IRD, Nouméa, 23 pp.

- Borsa P. 2006. – Mission ornithologique aux îles Chesterfield, 12-16 décembre 2005. IRD Nouméa, 8 pp. [hal](#)
- Branch T., Palacios D.M., Stafford K.M., Allison C., Bannister J.L., Burton C.L.K., Gill P.C., Jenner K.C.S., Jenner M.-N.M., Miyashita T., Morrice M.G., Sturrock V.J., Anderson R.C., Baker A.N., Best P.B., Borsa P., Childerhouse S., Findlay K.P., Ilangakoon A.D., Jørgensen M., Kahn B., Maughan B., Mikhalev Y.A., Oman Whale and Dolphin Research Group, Thiele D., Tormosov D., van Waerebeek K., Warneke R.M. 2006. – Past and present distribution of blue whales in the Southern Hemisphere and northern Indian Ocean. *International Whaling Commission Paper SC58/SH16*, 26 pp.
- Spaggiari J., Barré N., Baudat-Franceschi J., Borsa P. 2006. – New Caledonian seabirds. In Payri C.E., Richer de Forges B., Compendium of marine species from New Caledonia. *Documents Scientifiques et Techniques (IRD, Noumea), Série II 7*, 371-384.
- Borsa P. 2004. – Mission ornithologique sur l'îlot Matthew, 10-13 août 2004. IRD, Nouméa, 4 pp. [hal](#)
- Hoarau G., Borsa P., Bonhomme F., Grandperrin R. 1999. – Génétique des populations de *Beryx splendens* de la zone économique de la Nouvelle-Calédonie : distribution des haplotypes du gène du cytochrome b de l'ADN mitochondrial et analyse phylogénétique de leurs séquences. *Documents Scientifiques et Techniques (IRD, Noumea), Série II 1*, 1-39.
- Arnaud S., Sadhotomo B., Potier M., Bonhomme F., Borsa P. 1998. – Mitochondrial DNA markers for stock delineation in ikan layang *Decapterus macrosoma* (Pisces : Carangidae). *Journal of Marine Fisheries Research Indonesia* – manuscrit accepté, resté impublié pour cause de crise économique.
- Arnaud S., Borsa P., Bonhomme F. 1999. – Mitochondrial DNA variation in the south-east Asian scad mackerel *Decapterus cf. macrosoma*. In Séret B., Sire J.-Y. (eds) *Proceedings of the 5th Indo-Pacific Fish Conference, Nouméa, 1997*. Société Française d'Ichtyologie, Paris : 407-411.
- Berrebi P., Blanquer A., Kotoulas G., Borsa P., Renaud F. 1989. – Différenciation des populations de Pleuronectiformes (genres *Platichthys*, *Psetta*, *Scophthalmus* et *Solea*) le long des côtes européennes, estimée à partir des marqueurs isoenzymatiques. Particularité des populations méditerranéennes. *Bulletin de la Société Zoologique de France* 114, 142-143.
- Borsa P., Zainuri M., Delay B. 1989. – Aspects génétiques du recrutement chez la palourde de l'étang de Thau (Hérault). *Bulletin de la Société Zoologique de France* 114, 147.
- Borsa P., Jousset Y., Monti D. 1987. – Conditions environnementales et phénotype multi-enzymatique chez la palourde *Ruditapes decussatus* de l'étang de Thau. *Oceanis* 14, 511-512.
- Delépine R. 1987. – *Ballia callitricha*. In Fischer W. (Ed.) *Fiches FAO d'identification des espèces, océan austral*, Vol. 2. FAO, Rome, pp. 52-53.
- Borsa P., Berrebi P., Blanquer A. 1986. – Mécanismes de la formation en Méditerranée des sous-espèces du flet, *Platichthys flesus*. (Communication, Coll. national du CNRS « Biologie des populations », Lyon, 5-7 sept. 1986). In Legay J.-M. (Ed.) *Actes du colloque national du CNRS « Biologie des populations »*. Université Claude-Bernard, Lyon, 472-481 (1987).

3. - Software (2 versions among the most cited)

- Belkhir K., Borsa P., Chikhi L., Raufaste N., Bonhomme F. 2000. – Genetix version 4.02, logiciel sous WindowsTM pour la génétique des populations. CNRS UMR 5000, Université Montpellier 2, Montpellier (<http://www.genetix.univ-montp2.fr/genetix/>).
- Belkhir K., Borsa P., Goudet J., Chikhi L., Bonhomme F. 1996. – Genetix version 3.0, logiciel sous WindowsTM pour la génétique des populations. CNRS UPR 9060, Université Montpellier 2, Montpellier.

4. - Thesis dissertations

- Borsa P 2011. – Génétique des populations d'organismes marins. Mémoire d'Habilitation à diriger des recherches, ED 251, Université de la Méditerranée, Marseille, 60 p. [haL](#)
- Borsa P 1990. – Génétique des populations de bivalves en milieu lagunaire : la palourde dans l'étang de Thau (Méditerranée). Thèse de doctorat de l'Université Pierre-et-Marie-Curie, Paris, 149 p.
- Borsa P 1986. – Isolement géographique et différenciation génétique des populations méditerranéennes du flet *Platichthys flesus* L. (Pleuronectidae). Mémoire de DEA, Théorie de la génétique des populations, Université Pierre-et-Marie-Curie, Paris, 31 p.